

THINK | CLADDING | THINK

ALSTONE®

P R E M I U M
E X T E R I O R
C L A D D I N G

Kartik's Choice!

ALSTONE®
CLASSIC
METAL COMPOSITE PANEL

ALSTONE®
ANOMETA
ANODIZED LUXURY

ALSTONE®
3D PANELS

ALSTONE®
Monera
WORK of ART

ALSTONE®
ANTIQUO
BEAUTIFULLY RUSTIC

ALSTONE®
EVOLUTION
METAL COMPOSITE PANEL

— ARCHITECTURAL COLLECTION —

THE LEGACY OF
TWO DECADES OF
DELIVERING OVER 700+
MILLION SQ FT OF MCPs,
NOW DELIVERS EVEN MORE.

THINK **CLADDING** THINK

ALSTONE®



21+
YEARS OF
TRUST

700+
MILLION SQ FT
OF MCP DELIVERED

500+
CHANNEL
PARTNERS

300+
PRIMARY
SHADES

17
OFFICES
PAN INDIA

About **Alstone**

Alstone has been a pioneer in the cladding industry for over two decades, offering an extensive range of advanced façade solutions including Fire Retardant Composite Panels (FRCP), Metal-based High-Pressure Laminates (HPL), Aluminium Honeycomb Panels, Metal Louvers and Zinc Composite Panels (ZCP) in association with VMZINC, France.

The company operates two state-of-the-art manufacturing facilities — one in Dehradun (Uttarakhand) for Aluminium Composite Panels, and another in Kotputli (Rajasthan) for Alstone ALCOMB Honeycomb Panels and other advanced materials. Both plants are equipped with in-house coating lines, ensuring superior quality, consistency and timely delivery.

THINK **CLADDING** THINK

ALSTONE®

A2

NON COMBUSTIBLE

Alstone A2 is a superior, fire-safe metal composite panel, rated at the fire safety grade of A2. The environment -friendly panel comprises of a non-combustible core (with 90%+ minerals) for the safety of your buildings.

FR

FIRE RETARDANT

Alstone FR is composed of a fire- retardant core sandwiched between two skins of aluminium. The core consists of minimum 70% of non-combustible materials.

Certified by:



WE'RE COMMITTED TO SAFE BUILDINGS

THINK **CLADDING** THINK

ALSTONE[®]

IMAGINE
ANY
COLOUR,

AND ALSTONE DELIVERS IT.

CORPORATE **ETHOS**

VISION

ALSTONE aims to be the market leader in cladding industry in India by delivering high quality and innovative products to it's customers.

MISSION

We intend to have a superior understanding of customers' needs and delight them through product innovations along with integrity and honesty towards our business associates.

THE QUALITY APPROACH

At ALSTONE, we have implemented a strong management culture at every step. Right from procurement of raw materials to the manufacturing process, to meeting the stringent customer requirements and timely dispatch, there are multiple quality check points and supervision. ALSTONE's process oriented approach ensures adherence and consistency in our performance.



THINK **CLADDING** THINK

ALSTONE®

ALSTONE®
CLASSIC
METAL COMPOSITE PANEL

A timeless range designed to deliver durability, elegance, and reliable performance. Available in a wide range of shades and finishes, it is ideal for modern façades and exterior cladding applications.



EASY
INSTALLATION



READY
TO USE



100%
MAINTENANCE FREE



WATER &
TERMITE PROOF




WIDE RANGE
OF COLOURS



IDEAL FOR RESIDENTIAL
& COMMERCIAL BUILDINGS





VL-04 Bright Silver

Top Seller 



VL-07 Metallic Silver



VL-06 Champagne Gold

Top Seller 



VL-20 Metallic Bronze



VL-22 Super Gold




VL-46 Real Gold



VL-24 Magic Gold



VL-15 Copper Metallic




VL-14 Black Silver

Top Seller 



VL-77 Gun Metallic

Top Seller 



VL-31 Coffee Silver



VL-118 Dolphin Grey Metallic

New Launch 



VL-13 Blue Silver



VL-126 Blushing Peach

New Launch 




VL-29 Rose Metallic



VL-27 Wine Metallic



VL-25 Traffic Yellow



VL-02 Yellow

Top Seller



VL-03 Orange



VL-11 Dark Blue

Top Seller



VL-12 Light Blue



VL-45 Sky Blue



VL-23 Ocean Green




VL-28 Dabur Green




VL-127 Super White

New Launch ★




VL-47 Pure White

Top Seller 🍷




VL-08 Bright White



VL-33 Glossy White

Top Seller 🍷




VL-10 Ivory White



VL-60 Dholpur Beige



VL-59 Dholpur Red



VL-62 Glossy Black



VL-19 Coal Black



VL-48 Glossy Red



VL-01 Signal Red

Top Seller 




VL-26 Brick Red



VL-93 Walnut Brown

New Launch 



VL-30 Choco Brown



VL-21 Jade Metallic



VL-63 Glossy Burgundy



VL-44 Dark Grey

Top Seller 




VL-98 Empirical Grey

New Launch 



VL-34 Golden Mirror

Top Seller 



VL-09 Silver Mirror



VL-17 Brush Silver



VL-32 S.S. Finish



THINK | CLADDING | THINK

ALSTONE®

ALSTONE®
ANOMETA
A N O D I Z E D L U X U R Y

Anodized luxury series that delivers a sleek metallic appearance with exceptional surface durability. Its premium finish enhances contemporary architectural projects with a refined and elegant look.

EASY
INSTALLATION



READY
TO USE



100%
MAINTENANCE FREE



WATER &
TERMITE PROOF



WIDE RANGE
OF COLOURS



IDEAL FOR RESIDENTIAL
& COMMERCIAL BUILDINGS





AN-1506 Burnt Bronze




AN-1501 Ancient Copper




AN-1507 Smoke Grey



AN-1502 Regal Aurum



AN-1503 Rose Quartz



AN-1504 Arctic Silver



AN-1509 Champagne Glint



AN-1505 Satin Brown



AN-1508 Graphene Grey

THINK | CLADDING | THINK

ALSTONE®

ALSTONE® 3D PANELS

A premium range of designer panels featuring striking three-dimensional patterns and textures. These panels create visually captivating façades and interiors that stand out with depth and sophistication.



EASY
INSTALLATION



READY
TO USE



100%
MAINTENANCE FREE



WATER &
TERMITE PROOF



WIDE RANGE
OF COLOURS



IDEAL FOR RESIDENTIAL
& COMMERCIAL BUILDINGS





3D-501 Decayed Rock



3D-502 Forest Rock



3D-503 Dholpur Pink



3D-504 Gravel Cement



3D-505 Novacentopine



3D-506 Nyana Teak



3D-507 Royal Teak



3D-508 Rose Wood



3D-509 Oakwood

THINK | CLADDING | THINK

ALSTONE®

Stonera **ALSTONE®**
WORK of ART

Alstone Stonera captures the rich textures and appearance of natural stone while offering the lightweight benefits. It is an excellent choice for projects seeking a luxurious stone-like façade solution.



EASY
INSTALLATION



READY
TO USE



100%
MAINTENANCE FREE



WATER &
TERMITE PROOF



WIDE RANGE
OF COLOURS



IDEAL FOR RESIDENTIAL
& COMMERCIAL BUILDINGS





AS-602 Decayed Rock



AS-604 Cement



AS-605 Gravel Cement



AS-601 Forest Rock



AS-609 Venice Brown



AS-603 Dholpur Pink



AS-606 Grey Space




AS-607 Black Space



AS-608 Ferrari Red



AS-610 Onyx Brown



AS-611 Brown Castle



AS-612 Black Castle

THINK | CLADDING | THINK

ALSTONE®

ALSTONE®
ANTIQUE
BEAUTIFULLY RUSTIC

A distinctive collection featuring rustic and weathered finishes that add character to any architectural design. Perfect for creating vintage-inspired exteriors with a contemporary touch.



- | | | | | | |
|----------------------|-----------------|--------------------------|--------------------------|--------------------------|---|
| EASY
INSTALLATION | READY
TO USE | 100%
MAINTENANCE FREE | WATER &
TERMITE PROOF | WIDE RANGE
OF COLOURS | IDEAL FOR RESIDENTIAL
& COMMERCIAL BUILDINGS |
|----------------------|-----------------|--------------------------|--------------------------|--------------------------|---|



AR-902 Rusty Copper



AR-901 Corten Steel



AR-903 Bronze Patina



AR-904 Rough Brass



AR-905 Industrial Iron



AR-906 Gilded Rust



AR-907 Rough Concrete



AR-908 Rusty Gold



AR-909 Nectarina Rust



AR-910/ ALV-162 Rusty Oxid Metal

THINK **CLADDING** THINK

ALSTONE®

ALSTONE®
EVOLUTION
METAL COMPOSITE PANEL

Inspired by the natural beauty of wood, Alstone Evolution offers premium wood-finish sheets that combine aesthetics with long-lasting durability. It brings the warmth of wood without the maintenance challenges of natural timber.



EASY
INSTALLATION



READY
TO USE



100%
MAINTENANCE FREE



WATER &
TERMITE PROOF



WIDE RANGE
OF COLOURS



IDEAL FOR RESIDENTIAL
& COMMERCIAL BUILDINGS





ALV-220 Novacentopine



ALV-116 Royal Teak



ALV-151 Nyana Teak



ALV-130 Rustic Wood



ALV-148 Fusion Walnut



ALV-112 Tineo



ALV-102 Oakwood



ALV-118 Dark Teak



ALV-101 Wenge



ALV-153 Rose Wood



ALV-129 Tiger Wood



ALV-143 Classic Walnut



ALV-134 Teak Gold



ALV-110 Burn Walnut



ALV-164 Chest Nut Wood



ALV-141 Chocolate Zebrano



ALV-144 Zebra Wood



ALV-140 Safari Wood



ALV-145 African Walnut



ALV-142 American Walnut



ALV-149 White Oak Fusion



ALV-111 Louropreto



ALV-150 Wintry Ash



ALV-147 Dark Oak



ALV-146 Brown Douglas



ALV-100 Oxford Cherry



ALV-133 Choco Crush Line



ALV-155 Vintage Wood



ALV-154 California Teak



ALV-137 German Oak



ALV-152 Natural Mahogany



ALV-165 Mellow Maple



ALV-226 Terra Slate Wrinkle

New Launch ★




ALV-225 Terracota Wrinkle

New Launch ★




ALV-224 Terra Lava Wrinkle


New Launch ★



ALV-114 White Metallic Sparkling



ALV-115 Black Metallic Sparkling



ALV-124 Shadow Grey



ALV-126 Sume Stone



ALV-168 Agate Grey



ALV-228 Grey Sand

New Launch ★



ALV-229 Wheat Sand

New Launch ★



ALV-248 Ultima Brown


New Launch ★



ALV-159 Rustic Sand



ALV-125 Multani Magic



ALV-245 Obsidian Black

New Launch ★



ALV-230 Beige Rustic

New Launch ★



ALV-231 Grey Rustic

New Launch ★



ALV-241 Creamy Sand

New Launch ★




ALV-242 Mist Grey

New Launch ★




ALV-243 Mudstone Brown

New Launch ★




ALV-246 Midnight Slate

New Launch ★



ALV-244 Nut Brown

New Launch ★




ALV-247 Gravel Grey

New Launch ★



ALV-160 Travertino



ALV-223 Perlato Stone

New Launch ★



ALV-161 Satvario




ALV-167 Armani Grey



ALV-156 Dreamy Grey




ALV-119 Perlato




ALV-157 Earth Granite



ALV-106 Granville



ALV-108 Quartz Ivory



ALV-109 Venziano Granite




ALV-105 Emperador



ALV-138 Spot Rustic Grey



ALV-163 Tiger Onex





TEST REPORT

Report number: WTIPL-2023-058	Date of test: 20 th May 2023
Sample Id: WWT/FE/SID/2023/MP01	Report issued on: 27 th May 2023
ULR No: TC768723000000058F	Group: Building Materials
Discipline: Mechanical Testing	Sub-Group: Wall, floor, ceiling & cladding panels & shapes.
Ref: WWT/FE/2023/MP01	Total Pages: 66

Standard Fire Test as per NFPA 285
 For the Project of
System Development-
Alstone FR-A2 Wall Assembly



Tested For:
Alstone Manufacturing Private Limited,
 Khasra No.1393 Village Chharba,
 Langha Road Industrial Area, Sahaspur,
 Dehradun (UK)248197.



This report shall not be reproduced wholly or in parts without the written approval of the laboratory.

WINWALL TECHNOLOGY INDIA PRIVATE LTD.
 567-A, SR Kandigai Road, Gummidipoondi – 601 201.
 Tel: 044 24355940 / 24340422 Fax: 044 24335351
 Email: info@winwallindia.com, winwall.hq@winwallindia.com
 Website: www.winwallinternational.com




TC-7687

7. CLASSIFICATION & FIELD OF APPLICATION

7.1. Reference of classification

This classification has been carried out in accordance with clause 8 of EN 13501-1:2018.


7.2. Classification

The product, 4mm thick Alstone FR A2 Aluminium Composite Panel with Mineral filled Core, in relation to its reaction to fire behavior are classified;



Fire behavior	Smoke Production			Flaming droplets		
A2	-	s	1	r	d	0

Reaction to fire classification: A2 – s1, d0





TEST REPORT

Report number: WTIPL-2023-054	Date of test: 29 th April 2023
Sample Id: WWT/FE/SIDMP02/2023	Report issued on: 18 th May 2023
UUR No: TC768723000000054F	Group: Building Materials
Discipline: Mechanical Testing	Sub-Group: Wall, floor, ceiling & cladding panels & shapes
Ref: WWT/FE/20231P02	Total Pages: 66

Standard Fire Test as per NFPA 285
 For the Project of
System Development-
Alstone FR-B Wall Assembly




Tested For:
Alstone Manufacturing Private Limited,
 Khasra No.1393 Village Chharba,
 Langha Road Industrial Area, Sahaspur,
 Dehradun (UK)248197.

This report shall not be reproduced wholly or in parts without the written approval of the laboratory.
WINWALL TECHNOLOGY INDIA PRIVATE LTD.
 567-A, SR Kandigai Road, Gummidipoondi - 601 201.
 Tel: 044 24355940 / 24340422 Fax: 044 24335351
 Email: info@winwallindia.com, winwall.hq@winwallindia.com
 Website: www.winwallinternational.com




TC-7687



8. CLASSIFICATION & FIELD OF APPLICATION

8.1. Reference of classification

This classification has been carried out in accordance with Clause 8 of EN 13501-1:2018.

8.2. Classification

The product, 4mm Thick 'Aluminium Composite Panel' in relation to its reaction to fire behavior are classified;

Fire behavior		Smoke production			Flaming droplets	
B	-	s	1	,	d	0

Reaction to fire classification: B – s1, d0

OUR CERTIFICATIONS



A2

**THOMAS BELL-WRIGHT
INTERNATIONAL CONSULTANTS**

Test Reference No.: XE070-2

10. SUMMARY OF RESULTS

The non-loadbearing 4mm thick Alstone FR A2 Aluminium Composite Panel (ACP) cladding assembly installed on 200mm thick masonry blocks has been evaluated in accordance with ASTM E119-20; Standard Test Methods for Fire Tests of Building Construction and Materials and ASTM E2226-15b; Standard Practice for Application of Hose Stream.

The requirements of the standards were satisfied for:

FIRE RESISTANCE RATING

180 MINUTES

This report and all records of the test to which it relates may not be retained by TBWIC beyond 5 years from the date of testing. This test report is respectfully submitted by: Thomas Bell-Wright International Consultants

Prepared By:

 Kevin A. Zachariah
 Senior Fire Testing Engineer

Reviewed & Authorized By:

 Dajsan Dippi, AlFireE
 Fire Testing Manager

Report Revision Tracking		
Revision No.	Date Issued	Notes & Amendments
Rev. 00	12-Jun-23	This is the first issue of the report. No revisions are included.



FR

**THOMAS BELL-WRIGHT
INTERNATIONAL CONSULTANTS**

Test Reference No.: XE070-1

10. SUMMARY OF RESULTS

The non-loadbearing 4mm thick Alstone FR B Aluminium Composite Panel (ACP) cladding assembly installed on 200mm thick masonry blocks has been evaluated in accordance with ASTM E119-20; Standard Test Methods for Fire Tests of Building Construction and Materials and ASTM E2226-15b; Standard Practice for Application of Hose Stream.

The requirements of the standards were satisfied for:

FIRE RESISTANCE RATING

120 MINUTES

This report and all records of the test to which it relates may not be retained by TBWIC beyond 5 years from the date of testing. This test report is respectfully submitted by: Thomas Bell-Wright International Consultants

Prepared By:

 Kevin A. Zachariah
 Senior Fire Testing Engineer

Reviewed & Authorized By:

 Dajsan Dippi, AlFireE
 Fire Testing Manager

Report Revision Tracking		
Revision No.	Date Issued	Notes & Amendments
Rev. 00	12-Jun-23	This is the first issue of the report. No revisions are included.



THOMAS BELL-WRIGHT
A PHENIA GROUP COMPANY



IAS
ACCREDITED
Product Certification
Agency

In accordance with IAS accreditation to ISO/IEC 17065
Certification is Hereby Granted
to

Alstone Manufacturing Private Limited
Khasra No. 1393, Langha Road Industrial Area,
Village Chharba, PO Box 248197, Sahaspur,
Dehradun, Uttarakhand, India


for

“ACCP”
**4 mm thick Aluminium Corrugated
Composite Panel Material**
(Classified to BS EN 13501-1:2018)

which, subject to limitations described on the following pages and continued
listing on www.tbwcert.com, complies with Product Certification Scheme
*SD03 Exterior Wall Assemblies, Curtain Walls, Building Materials,
Products & Assemblies*

In witness whereof, this Certificate is issued this 1st day of April 2026





Sandy Dweik
Chief Executive Officer



Luma Gabalan
Director of Certification

Certificate Number: TBW0301207

Initial registration: April 1, 2026 Issued: April 1, 2026 Expiration: March 31, 2029

This certificate is issued with a three-year validity period. The current certification status, including any suspension or interruption, should be verified at www.tbwcert.com

File Name: Z1001_CRT_SD03RX_4mm_ACCP_Issue1_1207_(f) Issue 1

This certificate and schedules are held in force by regular Factory inspections by Thomas Bell-Wright International Consultants (TBWIC). Refer to www.tbwcert.com or contact TBWIC Certification Division to validate the current status of the Certification.
This certificate remains a property of Thomas Bell-Wright International Consultants.
P.O. Box 26585, Dubai, UAE. | Tel: +971 4 8215777 | Email: certification@bell-wright.com | Web: www.bell-wright.com
This document must not be reproduced except in its entirety and with the express permission of Thomas Bell-Wright International Consultants.
F 19 Scheme Certificate Issue 9 Issued Mar 2026



Our esteemed suppliers:



KEY TECHNICAL SPECIFICATIONS

				B-S1 d0	A2-S1 d0
S.No.	Specifications	Unit	Standard	4 mm	4 mm
Product Composition					
1	Alloy		EN-485-2	AA 3105 / AA5005	
2	Temper		EN-485-2	H-14/16	
3	Skin thickness	mm		0.5	0.5
4	Core Material		(EN 13501-1)	Fire Retardant mineral filled thermoplastic core.	Non Combustible Core
5	Panel Weight	kg/m²		7.5	8.5
Product Tolerances					
6	Panel Weight	kg/m²		±5%	±5%
7	Panel Thickness	mm		± 0.2	± 0.2
8	Skin thickness	mm		± 0.03	± 0.03
9	Panel Width (1250,1500mm)	mm		± 2	± 2
10	Panel Length (Upto 6000mm)	mm		± 4	± 4
11	Bow (Length or width)	%		Max 0.5	Max 0.5
12	Squareness	mm		Max 5	Max 5
Mechanical Charecterstics					
13	Tensile Strength	Mpa	(ASTM E8)	45	43
14	0.2% Proof stress	Mpa		42	41
15	Elongation	%		≥ 5	≥ 2%
16	Modulus of Elasticity	Mpa		70000	70000
Thermal Charecterstics					
17	Linear Thermal expasion	mm/m/100 °C	(EN 1999 1-1)	2.4	2.4
18	Deflection Temprature	°C	(ASTM D 648)	≥ 110	≥ 116
19	Temprature Resistance	°C	(ASTM C 518)	_50....+80	_50....+80
Acoustical Charecterstics					
20	Sound transmission Loss (Rw)	dB	(ASTM E-90)	27	27
Fire Charecterstics					
21	Reaction to fire	NFPA 285		PASS	PASS
22	Reaction to fire	TBW 0300734	(EN 13501-1)	Class B , S1 d0	Class A2 , S1 d0
23	Reaction to fire		(DIN 4102-1)	Class B , S1 d0	Class A2 , S1 d0
24	Self Ignition temprature not less than 343 °C		(ASTM D1929)	Pass	Pass
25	Fire Retardant		TBW	E119-20	120 MINUTES
Surface Finish Charecterstics					
26	Paint finishes		(AAMA 2605-13)	PVDF/FEVE	PVDF/FEVE
27	Gloss @60°C	%		20~35%	20~35%
28	Pencil hardness			HB-F	HB-F
29	Back side service Coating			PE	PE

***Terms & Conditions Apply



THINK **CLADDING** THINK

ALSTONE®

Standard Louvers | Ventilated Fin Louvers

Kartik's Choice!

**ALSTONE®
LOUVERS**

LIMITLESS AS YOUR IMAGINATION

Scan for more details

PREMIUM EXTERIOR & INTERIOR CLADDING

OUR PRODUCT RANGE

ALSTONE®
ZiNC
IN COLLABORATION WITH VMZINC

ALSTONE®
ALCOMB
Aluminium Honeycomb Panel

ALSTONE®
STONEARC

ALSTONE®
ANOMETA
A N O D I Z E D L U X U R Y

ALSTONE®
LOUVERS
LIMITLESS AS YOUR IMAGINATION

ALSTONE®
HPL
Feel The Nature

ALSTONE®
ANTIq
BEAUTIFULLY RUSTIC

ALSTONE®
Stonera
W O R K o f A R T

ALSTONE®
3D PANELS

ALSTONE®
EVOLUTION
METAL COMPOSITE PANEL

ALSTONE®
CLASSIC
METAL COMPOSITE PANEL

ALSTONE®
SIGN PRO

ALSTONE®
Interio

ALSTONE® BEAUTY THAT LASTS LONG
ALSTAR HPL

ALSTONE®
ALSTAR
ALUMINIUM COMPOSITE PANEL



CUSTOMISED 3D PREVIEW
OF YOUR PROJECTS

Super Batting. Super Cladding!

3.0



— OFFICIAL CLADDING PARTNER —

THINK CLADDING THINK
ALSTONE

ALSTONE MANUFACTURING PVT. LTD.

Corporate Office

15th Floor, Vijaya Building.
17, Barakhamba Road.
Connaught Place, New
Delhi-110001

Plant

(Uttarakhand)
1393, Langha Road,
Industrial Area, Dehradun
Uttarakhand-248197

Plant

(Rajasthan)
RIICO industrial area,
Keshwana, District-Kotputli
Behror (Rajasthan)-303108

Branches

Ahmedabad | Bengaluru | Bhubaneswar | Chennai | Delhi | Hyderabad | Indore | Jaipur |
Kochi | Kolkata | Lucknow | Mumbai | Noida | Patna | Pune | Guwahati | Ranchi

CALL: 9599040030 | info@alstoneindia.com | www.alstoneindia.com | Follow us @alstonecladding



Scan for
more details